SAFETY DATA SHEET

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BUG& BIRD-POO REMOVER Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

Uses advised against For professional use only. This product is not recommended for any industrial, professional or

consumer use other than the Identified uses above.

1.3. Details of the supplier of the safety data sheet

Supplier Tonyin Industrial Co., Ltd

571, QICHANGCHENG ROAD, HUANGDAO DISTRICT, QINGDAO CITY, PRC

Tel:+86-532-86945891 Fax:+86-532-86945891 www.glanzlab.com

1.4. Emergency telephone number

Emergency telephone Tel: +86-532-8694-5891

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Not Classified

Health hazards Eye Dam. 1 - H318 STOT SE 3 - H336 Asp. Tox. 1 - H304

Environmental hazards Not Classified

Classification (67/548/EEC or Xn;R65. Xi;R41. R66,R67.

1999/45/EC)

2.2. Label elements

Precautionary statements P261 Avoid breathing vapour/ spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Supplemental label

EUH066 Repeated exposure may cause skin dryness or cracking.

information

Contains Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics, C9-C11 Alcohol

ethoxylate (6), Alcohols, C9-11, Ethoxylated 2.5 EO, PROPAN-2-OL

Detergent labelling 15 - < 30% non-ionic surfactants

Supplementary precautionary P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

statements P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2%

20<30%

aromatics

CAS number: 64742-48-9 EC number: 919-857-5 REACH registration number: 01-

2119463258-33-XXXX

Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn;R65. R10,R66,R67.

STOT SE 3 - H336 Asp. Tox. 1 - H304

C9-C11 Alcohol ethoxylate (6) 10<15%

CAS number: 68439-46-3 REACH registration number: Polymer

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22. Xi;R41.

Eye Dam. 1 - H318

Alcohols, C9-11, Ethoxylated 2.5 EO 5<10%

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi;R41.

ETHANEDIOL 3<5%

CAS number: 107-21-1 EC number: 203-473-3 REACH registration number: 01-

2119456816-28-xxxx

Substance with National workplace exposure limits.

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn;R22

STOT RE 2 - H373

PROPAN-2-OL 3<5%

CAS number: 67-63-0 EC number: 200-661-7 REACH registration number: 01-

2119457558-25-xxxx

Substance with a Community workplace exposure limit.

Classification (67/548/EEC or 1999/45/EC)

F;R11 Xi;R36 R67

Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Remove affected person from source of contamination. Rinse mouth thoroughly with water.

Give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting. If vomiting occurs, the head should be kept low

so that vomit does not enter the lungs. Get medical attention.

Skin contact Remove affected person from source of contamination. Remove contaminated clothing. Rinse

immediately with plenty of water. Use suitable lotion to moisturise skin. Get medical attention

if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Coughing, chest tightness, feeling of chest pressure.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact Irritating to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is non-combustible. Irritating gases or vapours. Thermal decomposition or

combustion products may include the following substances: Acrid smoke or fumes. Oxides of

the following substances: Carbon. Nitrogen. Vapours may ignite.

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment

for firefighters

Use air-supplied respirator, gloves and protective goggles. Wear positive-pressure self-

contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. To prevent release, place

container with damaged side up. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots,

clothing or apron, as appropriate. Stop leak if possible without risk. Dike far ahead of larger spills for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Flush contaminated area with plenty of water. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the

sewer. Wash thoroughly after dealing with a spillage.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Good personal hygiene procedures should be

implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in

the original container. Keep above the chemical's freezing point to avoid rupturing the container. Store in closed original container at temperatures between 5°C and 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Long-term exposure limit (8-hour TWA): WEL 1000 mg/m³

Short-term exposure limit (15-minute): WEL

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 20 ppm 10 mg/m³ Short-term exposure limit (15-minute): WEL 40 ppm 104 mg/m³

Sk

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS: 64742-48-9)

DNEL Industry - Dermal; Long term : 208 mg/kg/day

Industry - Inhalation; Long term: 871 mg/kg/day Consumer - Dermal; Long term: 125 mg/kg/day Consumer - Inhalation; Long term: 185 mg/kg/day Consumer - Oral; Long term: 125 mg/kg/day

C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

Ingredient comments No exposure limits known for ingredient(s).

Alcohols, C9-11, Ethoxylated 2.5 EO (CAS: 160901-09-7)

Ingredient comments No exposure limits known for ingredient(s).

ETHANEDIOL (CAS: 107-21-1)

DNEL Industry - Inhalation; Long term local effects: 35 mg/m³

Industry - Dermal; Long term systemic effects: 106 mg/kg/day Consumer - Inhalation; Long term local effects: 7 mg/m³ Consumer - Dermal; Long term systemic effects: 53 mg/kg/day

PNEC - Fresh water; 10 mg/l

- Marine water; 1 mg/l- STP; 199.5 mg/l

- Sediment (Freshwater); 20.9 mg/kg

- Soil; 1.53 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL Industry - Inhalation; Long term systemic effects: 500 mg/m³

Consumer - Dermal; Long term systemic effects: 319 mg/kg/day Consumer - Oral; Long term systemic effects: 26 mg/kg/day Consumer - Inhalation; Long term systemic effects: 89 mg/m³ Industry - Dermal; Long term systemic effects: 888 mg/kg/day PNEC - Fresh water; 140.9 mg/l

Marine water; 140.9 mg/lIntermittent release; 140.9 mg/lSediment (Freshwater); 552 mg/kg

- Sediment (Marinewater); 552 mg/kg

STP; 2251 mg/lSoil; 28 mg/kg

8.2. Exposure controls

Protective equipment







Appropriate engineering

controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Use thin cotton gloves inside the rubber gloves if allergy risk. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash contaminated clothing before reuse. When using do not eat, drink or smoke.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Combination filter, type A2/P3.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Green.

Odour Mild.

Odour threshold Not available.

pH (concentrated solution): ~ 10.5 pH (diluted solution): ~ 9.9 @ 1%

Melting point ~ 0°C

Initial boiling point and range ~ 100 @°C @ 760 mm Hg

Flash point Not applicable.

Evaporation rate Not available.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure

Not applicable.

Vapour density

Not applicable.

Relative density

~ 0.947 @ 20°C

Solubility(ies)

Soluble in water. Miscible with water.

Partition coefficient

: <0

Auto-ignition temperature

Not applicable.

Decomposition Temperature

Not available.

Viscosity

~ 1 cSt @ 20°C

Oxidising properties

Does not meet the criteria for classification as oxidising.

Comments

Information declared as "Not available" or "Not applicable" is not considered to be relevant to

the implementation of the proper control measures.

9.2. Other information

Volatile organic compound

This product contains a maximum VOC content of 248 g/litre.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability

Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable. Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid freezing.

10.5. Incompatible materials

Materials to avoid

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

No specific hazardous decomposition products noted.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 3,012.04819277

Skin corrosion/irritation

Human skin model test Scientifically unjustified.

Extreme pH Moderate pH (> 2 and < 11.5).

Aspiration hazard

Aspiration hazard Kinematic viscosity $\leq 20.5 \text{ mm}^2/\text{s}$.

General information This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

Inhalation May cause respiratory system irritation.

Ingestion Harmful: may cause lung damage if swallowed. May cause discomfort if swallowed.

Skin contact May cause defatting of the skin but is not an irritant.

Eye contact Risk of serious damage to eyes.

Acute and chronic health

hazards

No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent

health problems.

Route of entry Ingestion. Skin and/or eye contact

Medical symptoms No specific symptoms noted, but this chemical may still have adverse health impact, either in

general or on certain individuals.

SECTION 12: Ecological Information

Ecotoxicity The product is not expected to be hazardous to the environment. The product components

> are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. The product is not expected to be

> hazardous to wastewater treatment processes. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days. The product does

not contain organically bound halogen.

12.1. Toxicity

Not determined. Acute toxicity - fish

Acute toxicity - aquatic

invertebrates

Not determined. Acute toxicity - aquatic plants

Acute toxicity -

Not determined.

Not determined.

microorganisms

Acute toxicity - terrestrial Not determined.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria

as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the

authorities.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient : <0

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The packaging must be empty (drop-free when inverted).

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Larger quantities should be treated in a suitable plant or disposed of via a licensed waste disposal contractor. Packaging: Reuse or

recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

Transport labels

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. **Annex II of MARPOL 73/78**

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Only trained personnel should use this material. This product has been manufactured under

ISO 9001 and ISO 14001 Quality and Environmental Management Systems.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Prepared by Tonyin Industrial Co., Ltd

Revision date 09/03/2024

Revision 6

Supersedes date 11/02/2025 SDS status Approved.

Risk phrases in full R10 Flammable.

R11 Highly flammable. R22 Harmful if swallowed. R35 Causes severe burns. R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

H225 Highly flammable liquid and vapour.

Hazard statements in full H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.